

ezEX-RJ45® Termination System

The patented EXO Crimp Frame + EZ-RJ45® Die was designed for termination of EZ-RJ45® connectors. The included EZ-RJ45® Die is interchangeable and reversible when used with EXO Crimp Frame. Designed for the original pass through EZ-RJ45® connectors which are a standard in the industry. The EXO Crimp Frame highlights a push button lock, ergonomic TPR handles, and works with the EXO-EX Die™ (P/N 100071C) for terminating ezEX-RJ45™ connectors.




1

Mod.	Lenght (mm)	Width (mm)	Colour	Weight (gr)	Nº Foto
PLT-100054C	215,9	63,5		518	1
PLT-100061C	304	114		471.73	3
PLT-100062C	304	114		471.73	2



2



3

DIE SETS:


PLT - 100071C For tool PLT-100061C

PLT - 100072C For tool PLT-100062C



EZ-RJ45® Crimp Tool

EZ-RJ45® Crimp Tool. This high quality crimp tool is designed to quickly crimp and cut the wires of the EZ-RJ45 connector in one easy simple operation! The ratcheted straight action crimping motion ensures a uniform crimp every cycle. Features precision cast crimping dies for superior accuracy. Built-in wire cutter and stripper for silver satin. All steel frame with rust resistant black oxide finish. For use with EZ-RJ45® Cat5/5e & Cat6 Connectors.



Mod.	Lenght (mm)	Width (mm)	Colour	Weight (gr)
PLT-100004C	203.2	60.325		350.7

Tele-TitanXg 2.0 Modular Plug Crimp Tool

The next generation in our 10Gig Termination System combines two crimpers into a single tool, making 2-step crimping simple. First, insert the connector into the front end to terminate the contacts and switch to the back end to crimp the external ground. Like the original, the new Tele-TitanXg 2.0, along with our 10-gig shielded connectors, are engineered specifically for Cat6A cables to provide true 10Gig performance each and every time.



- RJ45 Cat6A/10Gig Shielded RJ45 connectors
- Cat6E, Cat6A, Cat7 & over-sized Cat5e/6 industrial Ethernetcables
- RJ12/11 connectors



Mod.	Lenght (mm)	Colour	Weight (gr)
PLT-12516C	135	●	216

Step 1: Insert connector and terminate contacts

Step 2: Crimp External Ground



SealSmart II Compression Crimp Tool

Easily terminate F, RCA and BNC compression style connectors without changing adpters. The universal head easily adjunts to the proper crimp stroke, making it compatible with most Standard compression connectors.



1



2

Mod.	Lenght (mm)	Width (mm)	Colour	Weight (gr)	Nº Foto
PLT-16220C	127	54	●	207	1
PLT-16213C	177,8	25,4	●	430	2

RJ45 crimp tool

Simply45® ProSeries all-in-one RJ45 crimp tool for all Simply45® brand shielded and unshielded RJ45 Mod RJ45 feed-through and standard WE/SS (8P8C) connectors. Includes: Tool Lock, Click Socket, Blade Storage, Wire Stripper/Cutter – 1Ea/Blister.



Mod.	Lenght (mm)	Width (mm)	Colour
SIM-S45-C101	295	115	●

Cut & strip tool

(Suitable for quick audio installations)
5855-T is a self-adjusting cutting and stripping tool for modern electrical instalation and equipment wires (90% of wires be stripped without adjusting the tool). High priority has been given to the ergonomic design of 5855-T resulting in a lightweight but strong and comfortable tool equally qualified for high volume production and portable/field usage. Perfectly suitable for quick audio installations.



Mod.	Lenght (mm)	Width (mm)	Colour	Weight (gr)
5855-T	191	123	●	136

Ergonomic crimp tools

Ratched crimp tool designed to provide consistent and reliable connectios on BNC, coaxials connectors,etc. Easy to use: Open the tool. Insert terminal in the correct nest. Close tool until terminal is fastened. Instert wire into terminal. Close tool until ratchet release. Attention: To release ratchet mechanism, push the trigger. To calibrate this tool the pre-load has to be measured. Gauge is required to ensure that die is according to specification.

Mod.	Lenght (mm)	Width (mm)	Colour	Weight (gr)
5083-PPN	204	76	●	479
5083-PGN	256	80	●	516




5083-PGN



5083-PPN

DIE SETS:

* All die sets are compatible with both crimping tools




• BNC

Tool	Die	Type BNC	Cable
5095-PN	5094-PN	5018-V	VK2 (0,4/1,85), VK12, VK11, VR3FLEX, VR5FLEX, VK540, RG179DT
5251-PN	5242-PN	5017-UHD2/18G, 5031-HDTV SILVER+, 5031-UHD2/18G, 5170-UHD2/18G, 5031-HDTV/MBAP, 5031-UHD2/18G, 5280-UHD2/18G	VK 5, VK 50, VK 6, VK 60, VK 7, VK 70, VK 50 SILVER+, VK 50 EMC SILVER+, VK 60 SILVER+, VK 60 EMC SILVER+, VK 70 SILVER+, VK 70 EMC SILVER+
5253-PN	5224-PN	5182-UHD2/18G, 5183-UHD2/18G, 5183-UHD/8K, 5200-UHD2/18G	VK 66, VK 770, VK 780 SILVER+, VK 680 SILVER+
5226-PN	5230-PN	5042-HDTV SILVER+, 5008-V, 5173-HDTV SILVER+	VK1, VK2 (0,4/1,85)VK6 (0,8/3,7), VK95 (RG59 0,6/3,7), VK520, VK5378, VK8376, VK63, VK66, VK39 1/3 (BBC PSF 1/3)
5228-PN	5232-PN	5008-V	VK5 (0,6/2,8), VK6 (0,8/3,7), VK95 (RG59 0,6/3,7), VK63, VK66, VK3065, VK4065, VK5065, VK6065, VK8065, VK5378, VK10065, VK8376, VK39 1/3 (BBC PSF 1/3) TVL SERIES
5252-PN	5243-PN	5177-HDTV SILVER+, 5177-UHD/8K, 5140-HDTV SILVER+, 5140-UHD/8K, 5038, 5081-V, 5148-V, 5065-V, 5160-V, 5190-V, 5110-V, 5210-UHD/8K, 5077-UHD2/18G	VK80 SILVER+, VK90 SILVER+, RG213, RG214, RG11 A/V, RG11 CATV, VK9, VK 880 SILVER+, VK 80 EMC SILVER+, VK 90 EMC SILVER+
5326-PN	5237-PN	SMA, SMB, SFR, ST, SC	F.O

• MICRO BNC & BNC/MBAP

HD & HDTV/MBAP




5098-PN

Tool	Die	BNC	Cable
5241-PN	5098-PN	5017-HDTV/MBAP, 5281-HD SILVER+, 5281-UHD2/18G, 5031-HDTV/MBAP, 5031-HDTV SILVER+, 5031-UHD2/18G, 5282-HD SILVER+, 5035-HDTV/MBAP	VK4 (0,6/2,6)VK5 (0,6/2,8)VK63, VK66, VK 50 SILVER+, VK 60 SILVER+ , VK 50 EMC SILVER+, VK 60 EMC SILVER+ , VK95 (RG59 0,6/3,7), VK3065, VK4065, VK5065, VK6065, VK8065, VK5378, VK8376, VK10065, TVL SERIES, VK39 1/3 (BBC PSF 1/3), 3C-2V, 8241, 1505A, KX6A, IMAGE720, TELASS80, L3CFB, 360, L4CFB, 1855A, 46899, L-2 IMAGE SDV, 5C2V, 2964, VK680

• DIN 1.0/2.3

DIN 1.0/2.3



5097-PN

Tool	Die	BNC	Cable
5225-PN	5097-PN	5300-HD SILVER+, 5300-UHD2/18G, 5301-HD SILVER+, 5301-UHD2/18G, 5303-HD SILVER+, 5281-HD SILVER+, 5281-UHD2/18G, 5282-HD/SILVER+	VK5(0,6/2,8), VK6 (0,8/3,7), VK7 (1,0/4,8), VK 50 SILVER+, VK 60 SILVER+, VK 50 EMC SILVER+, VK 60 EMC SILVER+, VK66,3C-2V, 8241, 1505A, KX6A, 720, Telass 80, L3CFB, 360, L4CFB, 1855A, 46899, Image SDV, L-2, 5C2V, 2964

5083-PPN Small Blind Tool
5083-PGN Big Blind Tool

Cleaner F.O

Modelo	Description
FO-CLEANER -12926	Cleaner F.O SMPTE 304M and MIL/COTS
FO-CLEANER -13310	M250 Large Surface aera 2.5mm cleaner for SC,ST,E20000, MIL 86526 and other 2.5 mm harsh environment connectors.
FO-CLEANER - 12910	H125 ODC FTT-Antenna, ARNIC and 1.25 mm MIL/AERO harsh environment connectors.



FO-CLEANER-12926

Summary table

Nest (mm)	BNC	Cable
3,25	Others not manufactured by Percon	FLEX 2
3,3	5018-HDTV, 5032-V, 5032-HDTV	VK1, VK2 (0,4/1,85), VK11, VK12, RG179.VR3FLEX, VK200, VK300, VK420, VK520, VK540, VK620, VK2224
3,8	Otros no fabricados por Percon	ST212
4,12	5018-V	VK2 (0,4/1,85), VK540
4,52	Others not manufactured by Percon	FLEX3
5	5017-UDH2/18G, 5280-UHD2/18G	VK5(0,6/2,8), VK 4 (0,6/2,6), VK 3065, VK4065, VK5065, VK6065, VK10065, VK8065, IMAGE 360, 1855A, L-2, 5CLVS, L-2, 5CF, VK50 SILVER+
5,41	5007-V, 5078-V, 5115-V, 5017-HDTV/MBAP, 5300-UHD2/18G	RG58, FLEX5, VK5, VK 50 Silver+
6,48	5031-HDTV SILVER+, 5031-UHD2/18G, 5032-HDTV SILVER+, 5008-V, 5182-UHD2/18G, 5173-HDTV SILVER+, 5301-HD SILVER+, 5301-UHD2/18G, 5302-HD SILVER+, 5281-HD SILVER+, 5281-UHD2/18G, 5031-HDTV/MBAP	VK1, VK6 (0,8/3,7), VK95 (0,6/3,7), RG59, VK5378, VK8376, VK 39 1/3(BBC PSF 1/3), VK520, VK66, VK63, 3C-2V, 8241, 1505A, KX6A, IMAGE720, TELASS80, L3CFB, L4CFB, VK 60 SILVER+, VK 680 SILVER+
6,8	Others not manufactured by Percon	ST214
7	5035-HDTV/MBAP, 5303-HD SILVER+, 5282-HD SILVER+	VK 7 (1,0/4,8)
7,7	5170-UHD2/18G	VK7 (1,0/4,8), RG6, VK5471, VK10471, VK 70 SILVER+
8,23	5183-UHD/8K, 5183-UHD2/18G, 5200-UHD2/18G	VK 49 1/2 (BBC PSF 1/2), VK 77, VK 770F ENH+, VK 780 SILVER+
9,14	5022-V, 5177-HDTV/SILVER+, 5177-UHD/8K	VK8 (1,4/6,6), RG11(1,0/6,6), VK80 SILVER+
10,9	5140-HDTV SILVER+, 5140-UHD/8K, 5038-V, 5110-V, 5148-V, 5210-UHD/8K	VK90 SILVER+, VK9 (1,6/7,4), RG213, RG214, RG11 A/U, VK880 SILVER+

F.O installation kit


Empty case fot tools
F.O Microscope. Range 100x-150x with 2,5 mm and 1,25 mm ferrules adapter
F.O cutting pen
Shears tupe cutter
Professional cutter
Cable stripping tool 0,6-2,6
Kevlar stripping tool
Crimping tool for ST-SC-FC-LC connectors
F.O Stripping tool
Stripping tool. Electric scissors
Multipurpose plastic box
Rubber stand to polish the connectors
Universal polishing disc for 2,5 mm and 1,5 mm ferrules
Box of cleaning napkins
F.O cleaning liquid
Cold active activator (2 bottles og 6cc with dropper)
Cold resine glue (10cc)
Syringes (10 u)
Needles (20 u)
Glass stand to polish the connectors
Set of silicon carbide sandpapers 5um, 1 um and aluminium oxide 3/10



5107-FO

Corex

Corex deisolates coaxial cables in twenty seconds or even less. Extremely versatile and unique to deisolate most qualities, measures and lengths of cable sheatings. The only one that cuts most coaxial cables between 2,5-7,6 mm / 0,1-0,3 inches. Cuts most cables with the precision of an automatic machine. Its calibre indicator enables easy cut lenght ajustment for most cables. Tested for over 2000 strips per cassette.



5103-CX300



5103-CX301



5103-CX305




5103-CX309



5103-CX399


Mod.	Cable	Connector	Dimensions	
			B	C
5103-CX300		Others not manufactured by Percon	5,5	5,5
5103-CX301	VK4, VK5, VK6, VK95	5031-HDTV SILVER+, 5281-HD SILVER+, 5281-UHD2/18G, 5301-HD SILVER+, 5301-UHD2/18G, 5280-UHD2/18G, 5008-V, 5281-HD, 5301-HD	2,7	8,3
5103-CX305	VK4, VK5 VK2, VK6, VK7, VK73	5108-V, 5300-UHD2/18G, 5300-HD SILVER+	6	6
5103-CX309	VK5, VK66, VK70Silver+ VK 770F ENH+	5031-HDTV/MBAP, 5035-HDTV/MBAP, 5017-HDTV/MBAP 5017-UHD2/18G, 5182-UHD2/18G, 5031-UHD2/18G, 5183-UHD/8K 5183-UHD2/18G, 5170-UHD2/18G	2,5	6,8
5103-CX399		Others not manufactured by Percon	3,5	7,5



5103-CST

A unique extra feature which enables to strip the inner conductor at a desired length. Sold separately..


Block	Diam. Cable (mm)	Cable
V-9	2,5-3,2	VK1, VK2
V-2	3,2-5,0	VK3, VK4, VK5
V-7	5,0-6,4	VK6, VK95, RG58, VK5
V-4	6,4-7,6	VK7, VK39, VK49




V-9



V-2



V-7



V-4


Stripping	Corex Kit	Colour
5103-CX300	5102BLACK-V	●
5103-CX301	5102CAMEL-V	●
5103-CX305	5102GREEN-V	●
5103-CX309	5102WHITE-V	○
5103-CX399	5102BROWN-V	●

COREX KIT PACKING

- 1 Universal tool body
- 1 Cassete
- 1 Adjustment gauge
- 4 V-Blocks
- 1 Hex wrench
- Instruction sheet

Maxi Corex

Cut for coaxial cable with bigger diameter. Maxicorex deisolates coaxial cables with bigger diametre (7-15mm / 0,28-0,59 inches). Extremely versatile and unique to deisolate coaxial cables.




5104-V

MAXICOREX KIT CONTENT

- 1 Universal tool body
- 1 Cassete
- 1 Adjustment gauge
- 3 3 V-Blocks
- 1 Hex wrench
- Instruction sheet

V-Pieces / V-Blocks



V-Block Colour	Connector	Cable	mm	Inner supports (2PS)
●	5022-V	RG6, RG11(1,0/6,6)	7,0-9,0	SI
●	5038-V, 5140-HDTV/SILVER+, 5140-UHD/8K, 5177-HDTV/SILVER+, 5177-UHD/8K, 5177-UHD2/18G, 5110-V, 5148-V	RG11AU, VK8, VK9, RG213, RG 214	9,0-11,5	SI
●	5174-V	VK 10	11,5-14,0	NO

Crimp tool box 5106-HDTV

Complete kit for crimping HDTV / HDN BNC / Silver+ BNC & UHD/4K & 8K BNC. Included: 1 Blind tool (5083-PPN), 3 Dies (5242-PN, 5243-PN, 5224-PN), 1 Corex + 2 BLADES (5102GREEN-V, 5103-CX301, 5103-CX309).



Ceramic KEVLAR® Scissors

The Ceramic Kevlar Scissors provide superior performance when trimming the Kevlar strength member in fiber optic cables. Also works well with Kevlar cloth. The secret is in the Zirconia ceramic blades. They will not dull or lose their edge like stainless steel blade scissors. Large finger loops are comfortable and easy to manipulate

FEATURES AND TECHNICAL DATA:

- Cuts fiberglass aramid fibers
- Zirconia ceramic blades
- Never needs sharpening
- Large finger loops for ease of use
- Wide eyes for comfort

PLT-10530C



EZ-RJ45® Termination Kit

Kit features the patented EZ-RJ45® HD Crimp Tool and connectors for the simplest, fastest & highest performing installation of Cat 5/5e/6 data networks.



PLT-90151

EZ-RJ45 Termination Kit

Kit contains

Description	Uds.
Professional Electrician's Scissors	1
Cat5e/6 Cable Jacket Stripper	1
EZ-RJPRO HD Crimp Tool	1
EZ-RJ45 CAT5e Connector	10
Nylon Zippered Case, w/Handles Product Instruccion	1

BNC Removal tool



Perfect tools used for inserting and removing BNC, DIN 1.0/2.3 or BNC-HD on hard-to-reach locations.



5099-NW/30 (30 cms)



5283-HD (Micro BNC)



5283-HD/18G/H (10 cms) Inserción / Extracción



5283-HD/C (29 cms)



5283-HD/18G (15 cms)



5188-V/C (29 cms)